Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("4161698").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 11:46
S2	3	("4237556").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 15:19
S3	2	("5030807").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 15:19
S4	2	("6061614").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 15:22
S5	3	("6720866").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 15:22
S6	2	("20050176373").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 15:31
S7	2	("20020089434").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 07:42
S8	17284	(rfid or Radio Frequency Identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 13:51
S9	784	S8 and (backscatter or backscatter modulation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 11:15

S10	390	S9 and (microprocessor or CPU or central processing unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 10:43
S13	244	S10 and (TRANSPONDER or rf tag) and ((input pin and output pin) or (input and output))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 10:44
S14	58	S13 and ((transponder or rf tag) WITH (storage or power supply))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 10:48
S15	48	S14 and (@rlad<"20040209")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 13:51
S16	17284	(rfid or Radio Frequency Identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/07 15:23
S17	784	S16 and (backscatter or backscatter modulation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/07 15:23
S18	390	S17 and (microprocessor or CPU or central processing unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/07 15:23
S19	244	S18 and (TRANSPONDER or rf tag) and ((input pin and output pin) or (input and output))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/07 15:23
S20	58	S19 and ((transponder or rf tag) WITH (storage or power supply))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/07 15:23
S21	48	S20 and (@rlad<"20040209")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/07 15:23

S22	0	S21 and ((analog and digital) input or input pin)"0"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/07 15:24
S23	2	("20050176373").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 10:38
S24	17300	(rfid or Radio Frequency Identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 10:42
S25	277	S24 and (continuous wave backscatter or backscatter modulation or undamped waves)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 10:42
S26	135	S25 and (microprocessor or CPU or central processing unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 10:43
S27	94	S26 and (TRANSPONDER or rf tag) and ((input pin and output pin) or (input and output))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 10:44
S28	21	S27 and ((transponder or rf tag) WITH (storage or power supply))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 10:44
S29	19	S28 and (@rlad<"20040209")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 15:08
S30	3	("6720866").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:08
S31	1015	passive rfid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/08 15:08

622		234 J (O.J. L. 1/200402001)	110 000:10	403	011	2006/20/25 27 77
S32	340	S31 and (@rlad<"20040209")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 07:53
S33	1015	passive rfid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 07:54
S34	340	S33 and (@rlad<"20040209")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 10:46
S35	219	S34 and (processor or microprocessor or micro processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 07:54
S36	2	("20050176373").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 08:13
S37	23	(analog signal and digital signal) WITH input pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 10:48
S38	6	S37 and (@rlad<"20040209")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 10:50
S39	17300	(rfid or Radio Frequency Identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 10:48
S40	786	S39 and (backscatter or backscatter modulation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 10:48
S41	391	S40 and (microprocessor or CPU or central processing unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 10:48

	·		1	1	· · · · · · · · · · · · · · · · · · ·	
S42	245	S41 and (TRANSPONDER or rf tag) and ((input pin and output pin) or (input and output))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 10:48
S43	58	S42 and ((transponder or rf tag) WITH (storage or power supply))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 10:48
S44	0	S43 and (analog signal and digital signal) WITH input pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 10:49
S45	0	S39 and (analog signal and digital signal) WITH input pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 10:50
S46	9	S39 and (analog and digital) WITH input pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 10:50
S47	6	S46 and (@rlad<"20040209")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 10:50
S48	2	("20060022825").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 11:15
S49	17300	(rfid or Radio Frequency Identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 11:16
S50	38	S49 and (continuous wave backscatter or continuous wave backscatter modulation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 11:16
S51	1136	"L13" and (@rlad<"20040209")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 11:16

		,		·		
S52	12355	"L3" and (@rlad<"20040209")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 11:17
S53	2	S50 and (@rlad<"20040209")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 11:17
S54	2	("20050176373").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 11:50
S55	2	("5030807").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 11:50
S56	2	("6061614").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 12:27
S57	2	("20060082445").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 12:27
S58	17300	(rfid or Radio Frequency Identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:10
S59	0	S58 and (microcontroller WITH reciever)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:10
S60	0	S58 and (micro controller WITH reciever)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/09 13:10
S61	157648	two way or "2" way (pin or port or input)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 13:53

S62	1193	S61 and (rfid or Radio Frequency Identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 13:53
S63	562	S62 and (@rlad<"20040209")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 13:54
S64	373	(two way or "2" way) (pin or port or input)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 13:55
S65	1	S64 and (rfid or Radio Frequency Identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 13:53
S66	1	S65 and (@rlad<"20040209")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 13:55
S67	67	S64 and (@rlad<"20040209")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/10 13:55